

MacGILL[®] Washington Vision Guidelines

SCHOOL NURSE SUPPLIES (updated 2017)

Full Copy from the Washington State Board of Health [HERE](#)

Required and Alternative Vision Screening Tools [HERE](#)

Washington State Board of Health Vision Screening Rule
Frequently Asked Questions [HERE](#)

Please contact macgill@macgill.com for any questions or updates to protocols.

Required Screenings

All grade levels — Distance Vision and Near Vision Acuity

Annually for students in Kindergarten and grades one, two, three, five and seven

Purpose of Screening	Grade	Screening Tools	Rescreening & Referral Criteria
Distance Vision	Kindergarten	LEA vision test: Single LEA symbol (at 5 feet), or single HOTV letter	Visual acuity worse than 20/40 in either eye
Distance Vision	Grade 1	LEA vision test: Single LEA symbol (at 5 feet), or single HOTV letter	Visual acuity worse than 20/32 in either eye
Distance Vision	Grades 2 and above	LEA vision tests: LEA symbols or numbers, or HOTV letters, or Sloan letter	Visual acuity worse than 20/32 in either eye
Near Acuity Vision	Kindergarten	LEA vision tests: LEA symbols near vision, HOTV, or Sloan letters	Visual acuity worse than 20/40 in either eye
Near Acuity Vision	Grades 1 and above	LEA vision tests: LEA symbols near vision, HOTV, or Sloan letters	Visual acuity worse than 20/32 in either eye

Optional: Can use an instrument-based vision screening device in lieu of optotype charts.

If the device does not generate a result then the student must be rescreened with an optotype chart.

