

1. Product and Company Identification

Product identifier	Sani-Cloth Plus Germicidal Disposable Cloth	SDS0002-00
Other means of identification	Not available	
Recommended use	Disinfectant	
Recommended restrictions	For Professional and Hospital Use Not for use on skin Not a baby wipe.	
Manufacturer	Professional Disposables International, Inc. Two Nice-Pak Park, Orangeburg, NY 10962-1376 or Distributed By: Professional Disposables International, LTD Vaughan, Ontario L4L 4K9 Canada Phone: (USA) 1-845-365-1700 (M-F 9am - 5pm) Phone: (CANADA) 1-800-263-7067 Emergency Phone: 1-800-999-6423	

2. Hazards Identification

Physical hazards	Flammable solids	Category 1
Health hazards	Serious eye damage/eye irritation	Category 2B
Environmental hazards	Not determined.	
OSHA defined hazards	None additional.	

Label elements



Signal word	Danger		
Hazard statement	Flammable solid. Causes eye irritation.		
Precautionary statement			
Prevention	Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Wash thoroughly after handling.		
Response	If in eyes: Rinse cautiously with water for 15 - 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. In case of fire: Use appropriate media to extinguish.		
Storage	Store away from incompatible materials.		
Disposal	Dispose of waste and residues in accordance with local authority requirements.		
Hazard(s) not otherwise classified (HNOC)	None known.		
Supplemental information	Not applicable.		

3. Composition/Information on Ingredients

Mixture

Chemical name	Common name and synonyms	CAS number	%
Isopropanol		67-63-0	14.85
Benzyl-C12-18-alkyldimethyl ammonium chlorides		68391-01-5	0.125
Quaternary ammonium compounds, C12-18-alkyl [(ethylphenyl) methyl] dimethyl, chlorides		68956-79-6	0.125

Composition comments Composition shown on this Safety Data Sheet may contain information additional to that on the product label. This is due to different label requirements in different countries.

4. First Aid Measures

Inhalation	Not a normal route of exposure. If inhaled, remove to fresh air. Get medical attention if symptoms develop.
-------------------	-------------------------------------------------------------------------------------------------------------

Skin contact	If irritation develops, get medical attention.
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Ingestion	Not a likely route of exposure. If ingestion does occur, call a poison control center or doctor for treatment advice.
Most important symptoms/effects, acute and delayed	Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
Indication of immediate medical attention and special treatment needed	Treat patient symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Avoid contact with eyes.

5. Fire Fighting Measures

Suitable extinguishing media	Water. Water Fog. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	None known.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection.
Fire-fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. In the event of fire, cool product with water spray. Move product from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials. Move products from fire area if you can do so without risk. In the event of fire and/or explosion do not breathe fumes.
General fire hazards	Flammable solid.
Hazardous combustion products	May include and are not limited to: Oxides of nitrogen. Oxides of carbon. Chloride compounds
Explosion data	
Sensitivity to mechanical impact	Not available.
Sensitivity to static discharge	Not available.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures	Wear appropriate protective equipment and clothing during clean-up. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Pick up and discard towelette. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

7. Handling and Storage

Precautions for safe handling	Do not use or store near heat or open flame. Use according to package label instructions. Use good industrial hygiene practices in handling this material. Wear appropriate personal protective equipment. Wash thoroughly after handling. When using do not eat or drink.
Conditions for safe storage, including any incompatibilities	Do not contaminate water, food or feed by storage and disposal. When not in use keep center cap of lid closed to prevent moisture loss. Keep out of reach of children. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure Controls/Personal Protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Isopropanol (CAS 67-63-0)	PEL	980 mg/m3

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
		400 ppm

US. ACGIH Threshold Limit Values

Components	Type	Value
Isopropanol (CAS 67-63-0)	STEL	400 ppm
	TWA	200 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Isopropanol (CAS 67-63-0)	STEL	1225 mg/m ³
		500 ppm
	TWA	980 mg/m ³
		400 ppm

Biological limit values**ACGIH Biological Exposure Indices**

Components	Value	Determinant	Specimen	Sampling Time
Isopropanol (CAS 67-63-0)	40 mg/l	Acetone	Urine	*

* - For sampling details, please see the source document.

Exposure guidelines Chemicals listed in section 3 that are not listed here do not have established limit values for ACGIH or OSHA PEL.

Appropriate engineering controls Ensure adequate ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection Not needed under normal use conditions. Follow label directions carefully. Wear gear as needed.

Skin protection

Hand protection Not usually needed. Follow label directions carefully.

Other Follow label directions carefully.

Respiratory protection Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

Thermal hazards Not available.

General hygiene considerations Wash hands before breaks and immediately after handling the product. Handle in accordance with good industrial hygiene and safety practice. When using do not smoke. When using do not eat or drink.

9. Physical and Chemical Properties

Appearance	Liquid saturated on wipe
Physical state	Solid.
Form	Pre-moistened towelette.
Color	White
Odor	Mild alcohol.
Odor threshold	Not available.
pH	11 - 12 (liquid)
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Pour point	Not available.
Specific gravity	0.97 (liquid) (H ₂ O = 1)
Partition coefficient (n-octanol/water)	Not available.
Flash point	95.0 °F (35.0 °C) Tag Closed Cup (Liquid)
Evaporation rate	Not available.

Flammability (solid, gas) Flammable solid.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available.

Flammability limit - upper (%) Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies) Towel is not soluble in water

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Flash point class Flammable IC

10. Stability and Reactivity

Reactivity Do not mix with incompatible materials.

Possibility of hazardous reactions Hazardous polymerization does not occur.

Chemical stability Stable under recommended storage conditions.

Conditions to avoid Contact with incompatible materials.
Do not mix with other chemicals.
Avoid high temperatures.
Heat, flames and sparks.

Incompatible materials Do not use on natural marble, windows, unpainted wood or brass, clear plastic or colored grout. Oxidizing agents. Acids. Anionic surfactants. Soaps. Bleach solutions.

Hazardous decomposition products May include and are not limited to: Chloride compounds Hydrogen chloride. Oxides of nitrogen. Oxides of carbon.

11. Toxicological Information

Routes of exposure Eye, Skin contact, Skin absorption, Inhalation, Ingestion.

Information on likely routes of exposure

Ingestion Health injuries are not known or expected under normal use.

Inhalation Health injuries are not known or expected under normal use.

Skin contact Non-irritating based on test data.

Eye contact Mildly irritating to eyes based on test data.

Symptoms related to the physical, chemical and toxicological characteristics Exposed individuals may experience eye tearing, redness, and discomfort.

Information on toxicological effects

Acute toxicity

Product	Species	Test Results
Sani-Cloth Plus Germicidal Disposable Cloth		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg, Based on OPPTS Test data
<i>Inhalation</i>		
LC50	Rat	> 2 mg/l/4h, Based on OPPTS Test data
<i>Oral</i>		
LD50	Rat	> 5000 mg/kg, Based on OPPTS Test data

Components	Species	Test Results
Benzyl-C12-18-alkyldimethyl ammonium chlorides (CAS 68391-01-5)		
Acute		
<i>Dermal</i>		
LD50	Rat	2000 mg/kg
		1420 mg/kg
<i>Inhalation</i>		
LC50	Not available	
<i>Oral</i>		
LD50	Mouse	150 mg/kg
	Rat	240 mg/kg
Isopropanol (CAS 67-63-0)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	12800 mg/kg
<i>Inhalation</i>		
LC50	Rat	16970 mg/l/4h
<i>Oral</i>		
LD50	Dog	4797 mg/kg
	Mouse	3600 mg/kg
	Rabbit	5030 mg/kg
	Rat	4396 mg/kg
Quaternary ammonium compounds, C12-18-alkyl [(ethylphenyl) methyl] dimethyl, chlorides (CAS 68956-79-6)		
Acute		
<i>Dermal</i>		
LD50	Not available	
<i>Inhalation</i>		
LC50	Not available	
<i>Oral</i>		
LD50	Rat	250 mg/kg
Skin corrosion/irritation	Non-irritating based on test data. Toxicity Category IV according to the OPPTS 870.2500 Acute Skin Irritation Study. Classified based on OPP/GHS Classification Criteria and Labeling Comparison.	
Exposure minutes	Not available.	
Erythema value	Not available.	
Oedema value	Not available.	
Serious eye damage/eye irritation	Causes eye irritation. Toxicity Category III according to the OPPTS 870.2500 Acute Eye Irritation Study. Classified based on OPP/GHS Classification Criteria and Labeling Comparison.	
Corneal opacity value	Not available.	
Iris lesion value	Not available.	
Conjunctival reddening value	Not available.	
Conjunctival oedema value	Not available.	
Recover days	Not available.	
Respiratory or skin sensitization		
Respiratory sensitization	Not available.	
Skin sensitization	Not a skin sensitizer based on test data.	
Germ cell mutagenicity	Non-hazardous by WHMIS/OSHA criteria.	
Mutagenicity	Non-hazardous by WHMIS/OSHA criteria.	
Carcinogenicity	Non-hazardous by WHMIS/OSHA criteria.	
Reproductive toxicity	Non-hazardous by WHMIS/OSHA criteria.	
Teratogenicity	Non-hazardous by WHMIS/OSHA criteria.	
Specific target organ toxicity - single exposure	Not classified.	

Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not classified.
Chronic effects	Non-hazardous by WHMIS/OSHA criteria.
Further information	Not available.
Name of Toxicologically Synergistic Products	Not available.

12. Ecological Information

Ecotoxicity	Components of this product have been identified as having potential environmental concerns. See below		
Components		Species	Test Results
Isopropanol (CAS 67-63-0)			
Algae	IC50	Algae	1000 mg/L, 72 Hours
Crustacea	EC50	Daphnia	13299 mg/L, 48 Hours
Aquatic			
Fish	LC50	Bluegill (<i>Lepomis macrochirus</i>)	> 1400 mg/l, 96 hours
Persistence and degradability	No data is available on the degradability of this product.		
Bioaccumulative potential	No data available.		
Mobility in soil	No data available.		
Mobility in general	Not available.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		

13. Disposal Considerations

Disposal instructions	Dispose of contents/container in accordance with local/regional/national/international regulations. Dispose of used towelette in accordance with local regulations for infectious waste disposal. Follow container label directions carefully. Do not reuse towelette. Dispose of used towelette in trash. Do not flush in toilet. Nonrefillable container. Do not reuse or refill this container. Triple rinse and offer for recycling. If recycling is not available, put in trash collection.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	Assign as required.
Waste from residues / unused products	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport Information

U.S. Department of Transportation (DOT) and IMDG

Basic shipping requirements:

UN number	UN3175
Proper shipping name	Solids containing flammable liquid, n.o.s. (Isopropanol)
Hazard class	4.1
Packing group	II
Packaging exceptions	<1kg - limited quantity (par. 173.151)

Transportation of Dangerous Goods (TDG - Canada)

Basic shipping requirements:

UN number	UN3175
Proper shipping name	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Isopropanol)
Hazard class	4.1
Packing group	II
Packaging exceptions	<1kg limited quantity



15. Regulatory Information

Canadian federal regulations This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

Canada NPRI VOCs with Additional Reporting Requirements: Mass reporting threshold/Identification Number

Isopropanol (CAS 67-63-0) 1 TONNES

Canada WHMIS Ingredient Disclosure: Threshold limits

Isopropanol (CAS 67-63-0) 1 %

WHMIS classification Exempt - Registered product - (DIN 02242608)

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

PRECAUTIONARY STATEMENTS:

Hazards to humans and Domestic animals.

CAUTION: Causes moderate eye irritation. Avoid contact with eyes and clothing. Wash thoroughly with soap and water after handling and before eating and drinking, chewing gum, using tobacco or using toilet.

EPA Reg. # 9480-6

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: De minimis concentration

Isopropanol (CAS 67-63-0) 1.0 %

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance

Isopropanol (CAS 67-63-0) Listed.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Isopropanol (CAS 67-63-0) Listed.

US CAA Section 111 Volatile Organic Compounds: Listed substance

Isopropanol (CAS 67-63-0) Listed.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
Delayed Hazard - No
Fire Hazard - Yes
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance No

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Isopropanol	67-63-0	14.85

Other federal regulations

Safe Drinking Water Act (SDWA)	Not regulated.
Food and Drug Administration (FDA)	Not regulated.

US state regulations This product is not subject to warning labeling under the California Proposition 65 regulation.

US - California Hazardous Substances (Director's): Listed substance

Isopropanol (CAS 67-63-0) Listed.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

US - Illinois Chemical Safety Act: Listed substance

Isopropanol (CAS 67-63-0) Listed.

US - Louisiana Spill Reporting: Listed substance

Isopropanol (CAS 67-63-0) Listed.

US - Minnesota Haz Subs: Listed substance

Isopropanol (CAS 67-63-0) Listed.

US - New Jersey RTK - Substances: Listed substance

Isopropanol (CAS 67-63-0) Listed.

US - Texas Effects Screening Levels: Listed substance

Benzyl-C12-18-alkyldimethyl ammonium chlorides (CAS 68391-01-5) Listed.

Isopropanol (CAS 67-63-0) Listed.

US. Massachusetts RTK - Substance List

Isopropanol (CAS 67-63-0) Listed.

US. Pennsylvania RTK - Hazardous Substances

Isopropanol (CAS 67-63-0) Listed.

US. Rhode Island RTK

Isopropanol (CAS 67-63-0) Listed.

Inventory status


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

HEALTH	/ 1
FLAMMABILITY	3
PHYSICAL HAZARD	0
PERSONAL PROTECTION	X



Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date	12-June-2015
Effective date	12-June-2015
Expiry date	12-June-2018

Further information

For any questions surrounding this SDS, please contact the supplier/manufacturer listed on the first page of the document.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on skin. Not a baby wipe. For use on hard surfaces only.

Do not use on natural marble, windows, unpainted wood, brass, clear plastic or coloured grout.

Revision 1. Added "and IMDG" to section 14 (ARegalado)

Bulk Liquid # 4BQ89001.

Prepared by

Professional Disposables International, Inc Phone: 1-845-365-1700

Other information

This Safety Data Sheet was prepared to comply with the current OSHA Hazard Communication Standard (HCS) adoption of the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

This SDS conforms to the ANSI Z400.1/Z129.1-2010 Standard.