

**1. PRODUCT AND COMPANY IDENTIFICATION**

**Product Name** Vaseline Constant Care Salve  
**Use/Size** Salve / 2 oz. (8884-737500), 8 oz. (8884-737600)  
**Product Numbers** 8884-737500, 8884-737600  
**Manufacturer/Supplier** Tyco Healthcare/ Kendall  
**Address** 15 Hampshire Street  
 Mansfield, MA 02048  
**Phone Number** (508) 261-8000 (Monday – Friday 8:00 am to 5:00 pm)  
**Chemtrec Number** (800) 424-9300  
**Revision Date:** January 30, 2004  
**MSDS Date:** September 22, 1998

*This MSDS has been compiled in accordance with - EC Directive 91/155/EC - OSHA's Hazcom Standard (29 CFR 1910.1200)*

**2. COMPOSITION/INFORMATION ON THE COMPONENTS**

Component Name	CAS#/Codes	Concentration	R Phrases	Classification
Petroleum Jelly	8009-03-8 232-373-2	25.00 -35.00%	R-None	None
Mineral Oil	8042-47-5 232-455-8	30.00 -40.00%	R-None	None
Aluminum Starch Octenylsuccinate	9087-61-0 No EC #	15.00 -25.00%	R-None	None
Zinc Oxide	1314-13-2 215-222-5	5.00 -12.00%	R-None	None
Titanium Dioxide	13463-67-7 236-675-5	1.00 -5.00%	R-None	None
Silica, Amorphous Fumed	112945-52-5 231-545-43	1.00 -3.00%	R-None	None

**3. HAZARD IDENTIFICATION**

**EU Main Hazards**

Not classified as hazardous.

**Routes of Entry**

- Eye contact - Ingestion - Skin contact

**Carcinogenic Status**

Not considered carcinogenic by NTP, IARC, and OSHA.

**Target Organs**

- Eye - Skin

**Health Effects - Eyes**

Contact may cause conjunctival irritation and transient corneal damage.

**Health Effects - Skin**

This product is non-irritating to the skin and skin absorption is not associated with any health effects.

**Health Effects - Ingestion**

A large dose may have the following effects:

- nausea - vomiting - diarrhea - abdominal pain - intestinal obstruction

**Health Effects - Inhalation**

No adverse effects are expected during normal conditions of use.

---

## 4. FIRST AID MEASURES

---

### **Eyes**

Immediately flood the eye with plenty of water for at least 15 minutes, holding the eye open. Obtain medical attention if soreness or redness persists.

### **Skin**

If skin irritation develops, or other symptoms occur, discontinue use. Seek medical attention if symptoms persist.

### **Ingestion**

Do not induce vomiting. Have victim drink 1-3 glasses of water to dilute stomach contents. Never administer anything by mouth if a victim is losing consciousness, is unconscious or is convulsing. Obtain medical attention immediately.

### **Inhalation**

If there is difficulty in breathing, give oxygen. Seek medical attention if symptoms persist.

### **Advice to Physicians**

Treat symptomatically.

---

## 5. FIRE FIGHTING MEASURES

---

### **Extinguishing Media**

Not Flammable. Select extinguishing agent appropriate to other materials involved.

### **Unusual Fire and Explosion Hazards**

None known.

### **Protective Equipment for Fire-Fighting**

Wear full protective clothing and self-contained breathing apparatus.

---

## 6. ACCIDENTAL RELEASE MEASURES

---

This product may be collected by carefully scooping into a pan, paper towel or other absorbent material. Transfer into suitable containers for recovery or disposal. No specific measures necessary.

---

## 7. HANDLING AND STORAGE

---

Keep container tightly closed when not in use. Storage area should be: - cool - dry - well ventilated  
- away from incompatible materials

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

---

### **Occupational Exposure Standards**

Exposure limits are listed below, if they exist.

#### **Petroleum Jelly**

None assigned.

#### **Mineral Oil**

None assigned.

#### **Aluminum Starch Octenylsuccinate**

None assigned.

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

---

**Zinc Oxide**

None assigned.

**Titanium Dioxide**

None assigned.

**Silica, Amorphous Fumed**

None assigned.

**Engineering Control Measures**

No specific measures necessary.

**Respiratory Protection**

Respiratory protection not normally required.

**Hand Protection**

Skin protection not normally required.

**Eye Protection**

Eye protection not normally required. However, care should be taken to avoid accidental exposure.

**Body Protection**

Normal work wear.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

<b>Physical State</b>	Thick Cream
<b>Color</b>	Off-white to Light - Tan
<b>Odor</b>	Fragrant
<b>pH</b>	No data.
<b>Specific Gravity</b>	1.05-1.08
<b>Boiling Range/Point (°C/F)</b>	No data.
<b>Melting Point (°C/F)</b>	No data.
<b>Flash Point (PMCC) (°C/F)</b>	No data.
<b>Explosion Limits (%)</b>	No data.
<b>Vapor Pressure</b>	No data.
<b>Density</b>	No data.
<b>Solubility in Water</b>	No data.
<b>Vapor Density (Air = 1)</b>	No data.
<b>Viscosity (cSt)</b>	No data.

---

## 10. STABILITY AND REACTIVITY

---

**Stability**

Stable under normal conditions.

**Conditions to Avoid**

- Heat - High temperatures

**Materials to Avoid**

- Oxidizing agents - Strong acids

---

## 10. STABILITY AND REACTIVITY

---

### **Hazardous Polymerization**

Will not occur.

### **Hazardous Decomposition Products**

- acid smoke and irritating fumes - oxides of carbon - zinc oxide fumes

---

## 11. TOXICOLOGICAL INFORMATION

---

### **Acute Toxicity**

Low order of acute toxicity predicted. In dermal toxicity studies, this product was not found to be a primary skin irritant when applied to rabbit skin for 24 or 48 hours.

Zinc Oxide: Oral LD50 (mouse) 7950mg/kg. A 500 mg dose applied to the rabbit eye for 24 hours caused mild irritation.

Silica, Amorphous Fumed: Oral LD50 (rat) 3160mg/kg.

### **Chronic Toxicity/Carcinogenicity**

Zinc Oxide: Long-term inhalation exposure (15 mg/m<sup>3</sup>/8hours/84 days) in rats caused pulmonary inflammation and changes in pulmonary function. In multidose studies with guinea pigs, inhalation exposure (4600-5900 ug/m<sup>3</sup>/3-6 days) caused changes in the respiratory organs and biochemical effects.

Silica, Amorphous Fumed: In a multidose study with rats, inhalation exposure (154 mg/m<sup>3</sup>/4 weeks) caused changes in the trachea and bronchi and biochemical effects. When given to rats by inhalation (50 mg/m<sup>3</sup>/6 hours/2 years) caused tumors of the lungs and thorax.

Titanium Dioxide: In several chronic studies with rats and mice, long-term inhalation exposure caused increased lung weights, respiratory lesions and abnormal pulmonary function. In rats, inhalation exposure (250 mg/m<sup>3</sup>/6hours/2years) caused tumors of the respiratory system. Intramuscular injections (260-360 mg/kg/2years) resulted in tumors at the site of application and blood lymphomas, including Hodgkins's disease. IARC assessment: this product is not classifiable as to its carcinogenicity to humans (Group 3).

### **Genotoxicity**

Zinc Oxide: DNA damage (E.coli); cytogenetic analysis (rat, in vivo); oncogenic transformation, unscheduled DNA synthesis, and sister chromatid exchange (hamster, embryo); unscheduled DNA synthesis (guinea pig, in vivo).

Titanium Dioxide: DNA inhibition (hamster, lung); micronucleus test (mouse, intraperitoneal).

Silica, Amorphous Fumed: unscheduled DNA synthesis (rat, invivo); body fluid assay (rat, lung cells).

### **Reproductive/Developmental Toxicity**

Zinc Oxide: Oral administration to rats during pregnancy (6846 mg/kg) caused developmental abnormalities and an increased incidence of stillbirths.

---

## 12. ECOLOGICAL INFORMATION

---

### **Mobility**

No relevant studies identified.

### **Persistence/Degradability**

No relevant studies identified.

### **Bio-accumulation**

No relevant studies identified.

### **Ecotoxicity**

No relevant studies identified.

---

**13. DISPOSAL**

---

Dispose of in accordance with all applicable local and national regulations.

---

**14. TRANSPORT INFORMATION**

---

<b>DOT CFR 172.101 Data</b>	Not Regulated
<b>UN Proper Shipping Name</b>	Not Regulated
<b>UN Class</b>	None.
<b>UN Number</b>	None.
<b>UN Packaging Group</b>	None.
<b>Classification for AIR Transportation (IATA)</b>	Consult current IATA Regulations prior to shipping by air.

---

**15. REGULATORY INFORMATION**

---

**EU Label Information**

Classification and labelling have been performed according to EU directives 67/548/EEC and 99/45/EC including amendments.

**EU Hazard Symbol and Indication of Danger**

According to EC Commission Directive 67/548/EEC this product is not classified.

**R phrases**

None.

**S phrases**

None.

**US REGULATIONS (Federal, State) and INTERNATIONAL CHEMICAL REGISTRATION LAWS****TSCA Listing**

All ingredients have been verified for inclusion on the EPA Toxic Substance Control Act Chemical Substance Inventory.

**EINECS Listing**

All ingredients in this product are listed on the European Inventory of Existing Commercial Chemical Substances (EINECS) or are exempt from listing.

**DSL (Canadian) Listing**

All ingredients in this product are listed on the Domestic Substance List (DSL).

**MA Right To Know Law**

All components have been checked for inclusion on the Massachusetts Substance List (MSL). Those components present at or above the de minimus concentration include: - Titanium Dioxide

**PA Right To Know Law**

This product contains the following chemicals found on the Pennsylvania Hazardous Substance List: - Titanium Dioxide - Zinc Oxide – Aluminum Starch Octenylsuccinate

**NJ Right To Know Law**

This product contains the following chemicals found on the NJ Right To Know Hazardous Substance List: - Titanium Dioxide - Zinc Oxide

---

## 15. REGULATORY INFORMATION

---

### **California Proposition 65**

This product does not contain materials which the State of California has found to cause cancer, birth defects or other reproductive harm.

### **SARA Title III Sect. 302 (EHS)**

This product does not contain any chemicals subject to SARA Title III Section 302.

### **SARA Title III Sect. 304**

This product does not contain any chemicals subject to SARA Title III Section 304.

### **SARA Title III Sect. 311/312 Categorization**

Immediate (Acute) Health Hazard

Delayed (Chronic) Health Hazard

### **SARA Title III Sect. 313**

This product contains a chemical that is listed in Section 313 at or above de minimis concentrations. The following listed chemicals are present: - Zinc Oxide (1314-13-2)

---

## 16. OTHER INFORMATION

---

### **NFPA Ratings**

NFPA Code for Flammability - 0

NFPA Code for Health - 0

NFPA Code for Reactivity - 0

NFPA Code for Special Hazards - 0

### **HMIS Ratings**

HMIS Code for Flammability - 0

HMIS Code for Health - 0

HMIS Code for Reactivity - 0

HMIS Code for Personal Protection - See Section 8

### **Abbreviations**

N/A: Denotes no applicable information found or available

CAS#: Chemical Abstracts Service Number

ACGIH: American Conference of Governmental Industrial Hygienists

OSHA: Occupational Safety and Health Administration

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

STEL: Short Term Exposure Limit

NTP: National Toxicology Program

IARC: International Agency for Research on Cancer

EU: European Union

R: Risk

S: Safety

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

BOD: Biological Oxygen Demand

KoC: Soil Organic Carbon Partition Coefficient

**Prepared By:** EnviroNet LLC.

The information and recommendations presented in this MSDS are based on sources believed to be accurate; therefore, The Kendall Company assumes no liability for the accuracy or completeness of this information. It is the user's responsibility to determine the suitability of the information for their particular purposes.